Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A stage apparatus provided with a holder having a substrate holding surface which holds a substrate, and a stage which supports and moves the holder, comprising:

a recovery device, which is disposed in the vicinity of the holder, that has a lyophilic portion, of which at least a part is lyophilic, and that recovers a liquid using the lyophilic portion.

- 2. (Original) A stage apparatus according to Claim 1, wherein said recovery device has a suction device that suctions the liquid guided to said lyophilic portion.
- 3. (Original) A stage apparatus according to Claim 2, wherein said substrate is suctioned to said holder, and suction force of said suction device is greater than suction force that suctions said substrate.
- 4. (Currently Amended) A stage apparatus according to Claim 2-or Claim 3, wherein said suction device is disposed below said lyophilic portion, and said lyophilic portion has an inclined portion, which is inclined toward said suction device.
- 5. (Currently Amended) A stage apparatus according to any one of Claim 1 through Claim4Claim 1, wherein

said recovery device has a first portion that is higher than said substrate holding surface.

- 6. (Currently Amended) A stage apparatus according to any one of Claim 1 through Claim 5 Claim 1, wherein said recovery device has a recessed portion that suctions the liquid by the capillary
- 7. (Original) A stage apparatus according to Claim 6, wherein at least a part of said recessed portion is lyophilic.

phenomenon.

- 8. (Currently Amended) A stage apparatus according to any one of Claim 1 through Claim 7 Claim 1, wherein said recovery device has a surface that is substantially parallel to said substrate holding surface, and a liquid repellent portion of which at least a part is liquid repellent.
- 9. (Currently Amended) A stage apparatus according to any one of Claim 1 through Claim8Claim 1, whereinat least a part of said holder is liquid repellent.
- 10. (Currently Amended) A stage apparatus according to any one of Claim 1 through Claim9Claim 1, whereinsaid substrate holding surface is liquid repellent.
- 11. (Currently Amended) A stage apparatus according to any one of Claim 1 through Claim 10Claim 1, wherein said lyophilic portion is disposed so that a space is formed between an outer circumferential part of said substrate and said lyophilic portion.

12. (Currently Amended) A stage apparatus according to any one of Claim 1 through Claim 11Claim 1, wherein

a portion of said holder that opposes said lyophilic portion is liquid repellent.

13. (Currently Amended) An exposure apparatus, comprising:a stage apparatus according to any one of Claim 1 through Claim 12 Claim 1.

14. (Original) An exposure method that exposes a pattern onto a substrate held by a holder, comprising the steps of:

disposing a lyophilic portion, at least a part of which is lyophilic, in the vicinity of the holder;

supplying liquid to the substrate; and exposing the pattern.

- 15. (Original) An exposure method according to Claim 14, further comprising the step of: recovering part of the liquid using said lyophilic portion.
- 16. (Original) An exposure method according to Claim 14, wherein a part of said holder is liquid repellent.